

AD-A095 923 NAVAL RESEARCH LAB WASHINGTON DC
AN X-RAY DIAGNOSTIC FOR LIGHT-ION CURRENT MEASUREMENTS, (U)
MAR 81 R D BLEACH, D J NAGEL, D MOSHER
UNCLASSIFIED NRL-MR-4462

NAVAL RESEARCH LAB WASHINGTON DC
AN X-RAY DIAGNOSTIC FOR LIGHT-ION CURRENT MEASUREMENTS. (U)
MAR 81 R D BLEACH, D J NAGEL, D MOSHER
NRL-MR-4462

F/6 20/8

NL

1 of 1
2025/03/27

END
DATE
FILMED
4-8
DTIC

AD A 01 1333

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NRL Memorandum Report 4462 ✓	2. GOVT ACCESSION NO. AD-A095923	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) AN X-RAY DIAGNOSTIC FOR LIGHT-ION CURRENT MEASUREMENTS		5. TYPE OF REPORT & PERIOD COVERED Interim Report on a Continuing NRL Problem
7. AUTHOR(s) R.D. Bleach, D.J. Nagel, D. Mosher and S.J. Stephanakis		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Research Laboratory Washington, D.C. 20375		8. CONTRACT OR GRANT NUMBER(s) 17111X4
11. CONTROLLING OFFICE NAME AND ADDRESS Defense Nuclear Agency Washington, D.C. 20305		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NRL Problem 66-0427-00X DNA Subtask T99QAXLA01
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE 4 March 1981
		13. NUMBER OF PAGES 29
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES This Research was Sponsored by the Defense Nuclear Agency under Subtask T99QAXLA01		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Ion Beam Diagnostics 6 micrometer		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A technique to determine the number and current density of MeV protons in an intense beam was tested on the GAMBEL II generator. Diode current and voltage and an absolute measurement of K-line radiation emitted from a 6 μ m thick aluminum target were used to determine the number and current density of protons incident on the target. Time-dependent x-ray measurements can be used to infer variations in the ion-beam current density.		

DD FORM 1473
1 JAN 73EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-LF-014-6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

CONTENTS

INTRODUCTION	1
EXPERIMENT	1
ANALYSIS	2
CONCLUSIONS	4
REFERENCES	5

Accession For		<input checked="checked" type="checkbox"/>
TAB		<input type="checkbox"/>
Announced		<input type="checkbox"/>
Justification		
By		
Distribution/		
Availability Codes		
Dist	Avail and/or	
	Special	
A		

AN X-RAY DIAGNOSTIC FOR LIGHT-ION CURRENT MEASUREMENTS

INTRODUCTION

Interest in the use of focused beams of light ions to ignite a thermonuclear target has recently led to the generation of intense proton and deuteron beams [1]. Measurements of the intensity and spatial distribution of ions are needed to characterize the beams. Nuclear activation in targets and induced currents in coils placed around the beam are techniques that have already been used for these measurements [2]. Unfortunately, they are limited in their ability to produce both time histories and separation of ion species and electrons.

An alternative technique for measuring proton currents uses characteristic K-line emission created by the interaction of beam ions with target atoms. Peak current density and number of ions in a proton beam incident on a thin aluminum target were calculated using time-integrated x-ray images of the target, known inner-shell ionization cross sections and diode electrical characteristics.

EXPERIMENT

The GAMBLE II generator at NRL was operated in a hollow-cathode, curved-anode configuration shown in Fig. 1. A geometrically-focused beam of protons struck a thin aluminum target oriented at a 45° angle to the beam propagation axis [3]. Voltage and total diode current were monitored on each shot. An x-ray pinhole camera mounted in an evacuated tube viewed the surface of the target closest to the anode (front surface) from a direction perpendicular to the beam propagation axis. This arrangement is shown schematically in Fig. 1. Images of the x-ray emission were recorded on Kodak No-Screen film. A $25\text{ }\mu\text{m}$ thick beryllium window covering the pinhole and aluminized mylar in front of

the film prevented visible and ultraviolet radiation from exposing the film. Baffles in the tube containing the pinhole camera reduced plasma-expansion damage to the beryllium and mylar windows and reduced scattering of x-rays off the tube walls. Figure 1 shows an x-ray pinhole image of a special target made of 6 μm thick aluminum covered by two strips of 25 μm thick polyethylene (CH_2). The image shows x-ray emission from the uncovered aluminum is more intense than the background, indicating that most of the emission originated in the target. Where the polyethylene strips covered the aluminum, the emission was reduced. A diagonal band across the image is caused by one of several strips of aluminized mylar filters which covered the film and were used to determine the energy of the x-rays emitted by the target.

ANALYSIS

Energy of the radiation, size and uniformity of the emission region, and proton beam current density were determined from x-ray images and diode electrical characteristics. Density on film was converted to exposure using the results of Dozier et al. [4] and Brown et al. [5]. Figure 2 shows the log of the ratio of calculated to measured exposure as a function of mylar thickness. Exposure was calculated by normalizing to the measured exposure at 12.8 μm thickness of mylar and extrapolating to find the exposure through 6.8 and 25.6 μm thicknesses of mylar. This was done for photon energies of 1.0, 1.5, and 2.0 keV. Figure 2 shows that the measured data most agree with calculations at an x-ray energy of 1.5 ± 0.1 keV, implying the emission is $K\alpha$ -line radiation from the aluminum target.

X-ray images show the emission region to be equal to the area of the target and to be approximately uniform. Thus, it was inferred that the beam was uniform with a cross sectional area of at least 10 cm^2 .

The power emitted in $K\alpha$ -line radiation per unit of beam current from the front surface of the target (S) is given by:

$$S = \frac{N h \nu}{e} \int_0^D \sigma(E) Y_A \exp(-\mu \rho x) dx \quad (1)$$

where

- N = target atomic number density
- ρ = target mass density
- $h\nu$ = energy per photon of K radiation
- $\sigma(E)$ = proton collisional ionization cross section
- E = proton energy
- Y_k = K α -fluorescent yield
- e = electronic charge
- μ = K α photoelectric absorption cross section
- D = $\sqrt{2}$ x target thickness

The exponential term in equation 1 represents photon attenuation in the target. For a 45° incidence angle used in this experiment, the distances the proton penetrates and the K-line photon traverses before exiting the target are the same and are expressed by x . The proton energy is calculated as a function of x taking into account collisional energy loss [6].

Several considerations enter into the calculation of the function S . Total K-shell proton collisional ionization cross sections from Babas et al. [7] and fluorescent yields from Bambynek et al. [8] were used since x-ray lines from target ions with multiple K-shell vacancies were not resolved in this experiment. K-line emission from electrons was negligible for electrons co-moving with 1 MeV protons because the average electron energy (down by the electron to proton mass ratio) is less than the binding energy of electrons in the aluminum K-shell. Most secondary electrons produced in the target also have kinetic energies less than K-shell binding energy and consequently contribute little to the K-line emission. At ion energies of about 4 MeV, however, co-moving protons and electrons would have collisional cross sections which are within a factor of 4 of each other. In this situation, electron induced K-line emission would have to be included in the calculation of S . The function S vs proton energy is shown in Fig. 3 for three thicknesses of aluminum target.

Peak current of the beam was calculated from exposure on the film corrected for filter attenuation, solid angle and size of the emission region. Energy (W) in $K\alpha$ -line radiation, transmitted by the pinhole, is given by

$$W = \frac{\Omega}{4\pi} \int_0^T IS \, dt \quad (2)$$

where

Ω = solid angle subtended by the pinhole seen from a point on the target

I = ion current on target

The integration extends over the duration T of the voltage pulse. Measured voltage and calculated ion current shapes from shot 1997 are shown in Fig. 4. Ion current was calculated from diode electrical characteristics [9].

The $K\alpha$ energy density recorded on film from shot 1997 was 1.7×10^{-8} J/cm². A peak current on target of 1.5×10^5 amps was calculated using equations 1 and 2. The corresponding current density is 1.5×10^4 amps/cm². The number of protons which hit the target was 7.1×10^{16} . Total number of protons in the beam is uncertain because the cross sectional area of the beam was larger than that of the target area.

CONCLUSIONS

Characteristic x-ray emission from target atoms appears to be a useful diagnostic for measuring intense ion beam currents. Johnson et al. [10] at Sandia Laboratories have recently measured K-line radiation from aluminum targets to determine the peak current density of a proton beam produced in a magnetically insulated diode. The technique can be extended by measuring the time variation of K-line intensity to determine the ion current history. A suitably sensitive and shielded detector is needed for time-resolved measurements. Attempts to record the time-resolved emission were made with a PIN solid state detector in place of the film camera. The results showed that high-energy x-ray background from electron bremsstrahlung produced signals in the PIN that were difficult to separate from the K-line

emission. PIN's may be suitable detectors if this background can be sufficiently reduced or attenuated by shielding. Alternatively, x-ray diodes (XRD's) which are not as sensitive to high energy background as PIN's can be used if emission rates are large enough. An aluminum-cathode XRD subtending a 5×10^{-3} ster solid angle to a point source for example, could produce a one volt signal into a 50 ohm load given an 800 kV, 5×10^4 amp proton beam incident on a 6 μ m thick aluminum target. Ross filters or crystal spectrographs which can restrict the bandpass of the radiation may be useful if the K-alpha intensity is high enough and filtering of extraneous radiation is required.

REFERENCES

1. G. Cooperstein, S.A. Goldstein, D. Mosher, F.W. Oliphant, F.L. Sandel, S.J. Stephanakis and F.C. Young, Proc. 3rd International Topical Conf. on High Power Electron and Ion Beam Research and Technology, Novosibirsk, U.S.S.R. July 3-6, 1979.
2. F.C. Young, J. Golden, and C. Kapetanacos, Rev. Sci. Instrum. **48**, 432 (1977).
3. C. Mosher, G. Cooperstein, S.J. Stephanakis, S.A. Goldstein, D.G. Colombant and R. Lee, NRL Memorandum Report 3658 (1977).
4. C.M. Dozier, D.B. Brown, L.S. Birks, P.B. Lyons and R.F. Benjamin, Journ. Appl. Phys. **47**, 3732 (1976).
5. D.B. Brown, J.W. Criss and L.S. Birks, Journ. Appl. Phys. **47**, 3722 (1976).
6. L.C. Northcliffe and R. J. Schilling, "Range and Stopping Power Tables for Heavy Ions," Cyclotron Institute Report Texas A&M University, College Station, Texas.
7. G. Babas, W. Brandt and R. Laubert, Phys. Rev. **A7**, 983 (1973).
8. W. Bambynek, B. Craseman, R.W. Fink, H.U. Freund, H. Mark, C.C. Swift, R.E. Price and P.V. Rao, Rev. of Mod. Phys. **44**, 716 (1972).

9. S.A. Goldstein, private communication.
10. D.J. Johnson, G.W. Kuswa, A.V. Farnsworth, Jr., J.P. Quinteny, R.J. Leeper, E.J.T. Burns and S. Humphries, Jr., Phys. Rev. **42**, 610 (1979).




Fig. 1 — Schematic of the GAMBLE II ion beam diode, and x-ray diagnostic arrangement and an x-ray image from shot 1997. A 1.8 μm thick KIMFOL transmission foil (shown as a line between cathode surfaces) provides partial current neutralization of the beam. The x-ray pinhole photograph shows $K\alpha$ -line emission from a 6 μm thick aluminum target. No emission is visible where two CH₂ strips cover the target. The dark diagonal band across the image is due to a layer of aluminized mylar placed over the film. Uniform 6 μm thick aluminum targets were used on other shots.




Fig. 2 - The ratio of calculated to measured exposure on Kodak No-Screen x-ray film vs. aluminized mylar filter thickness. A photon energy of 1.5 keV best fits data obtained using three thicknesses of mylar covering the film.

Al $K\alpha$ EMISSION




Fig. 3 — The power radiated in $K\alpha$ emission from the front surface of an aluminum target per unit proton beam current vs proton energy. Curves for three target thicknesses are shown. $K\alpha$ emission from the front and rear surfaces is comparable for the thicknesses shown.




Fig. 4 — Time histories of the GAMBLE II measured voltage and calculated ion current shape on shot 1977.

DISTRIBUTION LIST

August 1980

Director
Defense Intelligence Agency
Washington, DC 20301

Attn: DTICI Robert I. Rubenstein

1 copy

Defense Advanced Research Project Agency
1400 Wilson Blvd.
Arlington, VA 22209
Attn: R. Bayless

1 copy

Director
Defense Nuclear Agency
Washington, DC 20305

Attn: FCPR
STVL
TISI Archives
TITL Tech. Library
J. Z. Farber (RAEV)
R. L. Gullickson (RAEV)

1 copy
1 copy
1 copy
3 copies
1 copy
1 copy

Defense Technical Information Center
Cameron Station
5010 Duke Street
Alexandria, VA 22314

Attn: T. C.

12 copies

Under Sec'y of Defense for RSCH and ENGRG
Department of Defense
Washington, DC 20301

Attn: S&SS(JS)

1 copy

Chief
Livermore Division Fld Command DNA
Lawrence National Laboratory
P. O. Box 808
Livermore, CA 94550

Attn: FCPRL

1 copy

National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Road
Springfield, VA 22161

24 copies

Commander
BMD System Command
P. O. Box 1500
Huntsville, AL 35807

Attn: SSC-TEN

1 copy

DEP Chief of Staff for RSCH DEV & ACQ
Department of the Army
Washington, DC 20310

Attn: DAMA-CSM-N

1 copy

Commander
Harry Diamond Laboratories
2800 Powder Mill Road
Adelphi, MD 20783
(CNW01-INNER ENVELOPE: ATTN: DELHD-RBH)

Attn: DELHD-NP
DELHD-RCC J. A. Rosado
DRXDO-RBH P. A. Caldwell
DRXDO-RBH D. Schallhorn
DRXDO-TI Tech Lib.
S. Graybill

1 copy
1 copy
1 copy
1 copy
1 copy
1 copy

Commander
Picatinny Arsenal
Dover, NJ 07301

Attn: SMUPA ND-N-E

1 copy

Commander
U. S. Army Missile Command
Redstone Arsenal, AL 35809

Attn: Redstone Scientific Information CTR
DRCPM-PM-PE-EA

1 copy

Commander
U. S. Army Nuclear Agency
7500 Backlick Road
Building 2073
Springfield, VA 22150

Attn: ATCN-W

1 copy

Commander
U. S. Army Test and Evaluation CMD
Aberdeen Proving Ground, MD 21005

Attn: DRSTE-EL

1 copy

Commander
Naval Electronic Systems CMD HQS
Washington, DC 20360

Attn: Code 5032

1 copy

Commanding Officer
Naval Intelligence Support Center
4301 Suitland Road - Building 5
Washington, DC 20390

Attn: NISC-45

1 copy

Naval Research Laboratory
Attn: Name/Code
Washington, DC 20375

Addressee:

Code 2629 - TIC-Distribution	25 copies
Code 4020 - J. Boris	1 copy
Code 6682 - D. Nagel	1 copy
Code 4700 - T. Coffey	1 copy
Code 4707 - J. Davis	1 copy
Code 4730 - S. Bodner	1 copy
Code 4740 - V. Granatstein	1 copy
Code 4760 - B. Robson	1 copy
Code 4761 - C. Kapetanakis	1 copy
Code 4770.1 I. Vitkovitsky	1 copy
Code 4771 - D. Mosher	10 copies
Code 4773 - G. Cooperstein	1 copy
Code 4790 - D. Colombant	1 copy
Code 4790 - I. Haber	1 copy
Code 4790 - M. Lampe	1 copy

Officer-in-Charge
Naval Surface Weapons Center
White Oak, Silver Spring, MD 20910

Attn: Code WR43 1 copy
Code WA501 - Navy Nuc Prgms Off 1 copy

Chief of Naval Operations
Navy Department
Washington, DC 20350

Attn: R. A. Blaise 604C4 1 copy

Commander
Naval Weapons Center
China Lake, CA 93555

Attn: Code 533 Tech Lib. 1 copy

AF Weapons Laboratory, AFSC
Kirtland AFB, NM 87117

Attn: CA 1 copy
ELC 1 copy
NT 1 copy
SUL 1 copy
DYP 1 copy
J. Darrah 1 copy
W.L. Baker 1 copy

HQ USAF/RD
Washington, DC 20330

Attn: RDQSM 1 copy

Director
Joint Strat TGT Planning Staff JCS
OFFUTT AFB
Omaha, NB 68113

Attn: JSAS 1 copy

SAMSO/DY
Post Office Box 92960
Worldway Postal Center
Los Angeles, CA 90009
(Technology)

Attn: DYS

1 copy

SAMSO/IN
Post Office Box 92960
Worldway Postal Center
Los Angeles, CA 90009

Attn: IND MAJ D. S. Muskin

1 copy

SAMSO/MN
Norton AFB, CA 92409
(Minuteman)

Attn: MNMH

1 copy

SAMSO/SK
Post Office Box 92960
Worldway Postal Center
Los Angeles, CA 90009
(Space Comm Systems)

Attn: SKF P. H. Stadler

1 copy

U. S. Department of Energy
Division of Inertial Fusion
Washington, DC 20545

Attn: G. Canavan
T. F. Godlove
S. L. Kahalas

2 copies

1 copy

1 copy

Argonne National Laboratory
9700 South Cass Avenue
Argonne, Illinois 60439

Attn: G. R. Magelssen
R. J. Martin

1 copy

1 copy

Brookhaven National Laboratory
Upton, NY 11973

Attn: A. F. Maschke

1 copy

Lawrence Berkley Laboratory
Berkeley, CA 94720

Attn: D. Keefe

1 copy

Lawrence Livermore National Laboratory
P. O. Box 308
Livermore, CA 94550

Attn: L-18

1 copy

L-153

1 copy

R. O. Bangerter

1 copy

R. J. Briggs

1 copy

E. P. Lee

1 copy

J. H. Nuckolls

1 copy

S. S. Yu

1 copy

Tech Info Dept. L-3

1 copy

Los Alamos National Laboratory
P. O. Box 1663
Los Alamos, NM 87545

Attn: D. B. Henderson

1 copy

R. B. Perkins

1 copy

L. E. Thode

1 copy

National Bureau of Standards
Washington, DC 20234

Attn: J. Laiss

1 copy

National Science Foundation
Mail Stop 19
Washington, DC 20550

Attn: D. Berley

1 copy

Sandia National Laboratories
P. O. Box 5800
Albuquerque, NM 87115

Attn: J. R. Freeman	1 copy
S. Humphries	1 copy
D. J. Johnson	1 copy
G. W. Kuswa	1 copy
P. S. Miller	1 copy
J. P. Vandevender	1 copy
G. Yonas	1 copy
Doc Con for 3141 Sandia RPT Coll	1 copy

AVCO Research and Systems Group
201 Lowell Street
Wilmington, MA 01887

Attn: Research Lib. A830 Rm. 7201	1 copy
-----------------------------------	--------

BDM Corporation, The
795 Jones Branch Drive
McLean, VA 22101

Attn: Tech Lib.	1 copy
-----------------	--------

Boeing Company, The
P. O. Box 3707
Seattle, WA 98124

Attn: Aerospace Library	1 copy
-------------------------	--------

Cornell University
Ithaca, NY 14850

Attn: D. A. Hammer	1 copy
R. N. Sudan	1 copy
J. Maenchen	1 copy

Dikewood Industries, Inc.
1009 Bradbury Drive, SE
Albuquerque, NM 87106

Attn: L. W. Davis	1 copy
-------------------	--------

EG&G, Inc.
Albuquerque Division
P. O. Box 10218
Albuquerque, NM 37114

Attn: Technical Library

1 copy

Ford Aerospace & Communications Operations
Ford & Jamboree Roads
Newport Beach, CA 92663
(Formerly Aeronutronic Ford Corporation)

Attn: Tech Info Section

1 copy

Ford Aerospace & Communications Corp
3939 Fabian Way
Palo Alto, CA 94303
(Formerly Aeronutronic Ford Corporation)

Attn: Library
D. R. McMorrow MS G 30

1 copy

1 copy

General Electric Company
Space Division
Valley Forge Space Center
Goddard Blvd., King of Prussia
P. O. Box 3555
Philadelphia, PA 19101

Attn: J. C. Penden VFSC, Rm. 4230M

1 copy

General Electric Company
Tempo-Center for Advanced Studies
316 State Street (P. O. Drawer QQ)
Santa Barbara, CA 93102

Attn: DASIAC

1 copy

Grumman Aerospace Corporation
Bethpage, NY 11714

Attn: P. Suh

1 copy

Institute for Defense Analyses
400 Army-Navy Drive
Arlington, VA 22202

Attn: IDA Librarian R S. Smith

1 copy

Ion Physics Corporation
South Beford Street
Burlington, MA 01803

Attn: H. Milde

1 copy

Ian Smith Associates
3115 Gibbens Dr.
Alameda, CA 94501
Attn: I. Smith

2 copies

IRT Corporation
P. O. Box 31087
San Diego, CA 92138

Attn: R. L. Mertz

1 copy

JAYCOR, Inc.
205 S. Whiting Street
Alexandria, VA 22304

Attn: J. Guillory
R. Hubbard
R. Sullivan
D. A. Tidman

1 copy

1 copy

1 copy

1 copy

JAYCOR, Inc.
1401 Camino Del Mar
Del Mar, CA 92014

Attn: E. Wenaas

1 copy

JAYCOR, Inc.
300 Unicorn Park Drive
Woburn, MA 01801

Attn: H. Linnerud

1 copy

Kaman Science Corporation
P. O. Box 7463
Colorado Springs, CO 80933

Attn: A. P. Bridges	1 copy
D. H. Bryce	1 copy
J. R. Hoffman	1 copy
W. E. Ware	1 copy

Lockheed Missiles and Space Co., Inc.
3251 Hanover Street
Palo Alto, CA 94304

Attn: L. F. Chase	1 copy
-------------------	--------

MIT
Massachusetts Institute of Technology
Cambridge, MA. 02139

Attn: R.C. Davidson	1 copy
G. Bekefi	1 copy
D. Hinshelwood	1 copy

Maxwell Laboratories, Inc.
9244 Balboa Avenue
San Diego, CA 92123

Attn: R. W. Clark	1 copy
A. C. Kolb	1 copy
P. Korn	1 copy
A. R. Miller	1 copy
J. Pearlman	1 copy

McDonnell Douglas Corporation
5301 Bolsa Avenue
Huntington Beach, CA 92647

Attn: S. Schneider	1 copy
--------------------	--------

Mission Research Corporation
1400 San Mateo Blvd. SE
Albuquerque, NM 87108

Attn: B. B. Godfrey	1 copy
---------------------	--------

Mission Research Corporation-San Diego
P. O. Box 1209
LaJolla, CA 92038

Attn: V.A.J. Van Lint

1 copy

Mission Research Corporation
735 State Street
Santa Barbara, CA 93101

Attn: W. C. Hart
C. L. Longmire

1 copy

1 copy

Northrop Corporation
Electronic Division
2301 West 120th Street
Hawthorne, CA 90250

Attn: V. R. DeMartino

1 copy

Northrop Corporation
Northrop Research and Technology Ctr.
3401 West Broadway
Hawthorne, CA 90205

1 copy

Physics International Co.
2700 Merced Street
San Leandro, CA 94577

Attn: J. Benford
B. Bernstein
R. Genuario
E. B. Goldman
A. J. Toepfer

1 copy

1 copy

1 copy

1 copy

1 copy

Pulsar Associates, Inc.
11491 Sorrento Valley Blvd.
San Deigo, CA 92121

Attn: C. H. Jones, Jr.

1 copy

R&D Associates
P. O. Box 9695
Marina Del Rey, CA 90291

Attn: W. R. Graham, Jr.	1 copy
M. Grover	1 copy
C. MacDonald	1 copy
E. Martinelli	1 copy
L. Schlessinger	1 copy

Science Applications, Inc.
P. O. Box 2351
LaJolla, CA 92038

Attn: J. Robert Beyster	1 copy
-------------------------	--------

Spire Corporation
P. O. Box 2
Bedford, MA 01730

Attn: R. G. Little	1 copy
--------------------	--------

SRI International
333 Ravenswood Avenue
Menlo Park, CA 94025

Attn: Setsuo Odairiki	1 copy
-----------------------	--------

Stanford University
SLAC
P. O. Box 4349
Stanford, CA 94305

Attn: W. B. Herrmannsfeldt	1 copy
----------------------------	--------

Systems, Science and Software, Inc.
P. O. Box 4803
Hayward, CA 94540

Attn: D. A. Meskan	1 copy
--------------------	--------

Systems, Science and Software, Inc.
P. O. Box 1620
LaJolla, CA 92038

Attn: A. R. Wilson

1 copy

Texas Tech University
P. O. Box 5404 North College Station
Lubbock, TX 79417

Attn: T. L. Simpson

1 copy

TRW Defense and Space Sys Group
One Space Park
Redondo Beach, CA 90278

Attn: Tech Info Center/S-1930

1 copy

University of California
Dept. of Physics
La Jolla, CA 92037

Attn: K. Brueckner

1 copy

University of California
Boelter Hall 7731
Los Angeles, CA 90024

Attn: F.F. Chen

1 copy

University of California
Irvine, CA 90024

Attn: G. Benford
N. Rostoker

1 copy

1 copy

University of Illinois
Urbana, IL 61801

Attn: G. H. Miley
J. T. Verdeyen

1 copy

1 copy

University of Rochester
Laboratory of Laser Energetics
River Station, Hopeman 110
Rochester, NY 14627

Attn: M. J. Lubin

1 copy

U. S. Department of Energy
P. O. Box 62
Oak Ridge, TN 37830

50 copies

Vought Corporation
Michigan Division
38111 Van Dyke Road
Sterling Heights, MI 48077
(Formerly LTV Aerospace Corp)

Attn: Tech Lib

1 copy

Bhabha Atomic Research Centre
Bombay - 400035, India

Attn: B. K. Godwal
A. S. Paithankar

1 copy

1 copy

CEA, Centre de Etudes de Lemeil
B. P. 27
94190 Villeneuve, Saint George
France

Attn: A. Bernard
A. Jolas

1 copy

1 copy

CEA, Centre de Etudes de Valduc
P. B. 14
21120 Is-sur-Tille
France

Attn: J. Barbaro
C. Bruno
N. Camarcat
C. Patou
C. Peugeot

1 copy

1 copy

1 copy

1 copy

1 copy

Ecole Polytechnique
Labo. PMI
91128 Palaseau Cedex
France

Attn: J. M. Buzzi
H. Doucet

1 copy
1 copy

Institut d'Electronique Fondamentale
Universite' Paris XI-Bat. 220
F91405 Orsay
France

Attn: G. Gautherin

1 copy

Institut Fur Neutronenphysik
un Reaktortechnik
Postfach 3640
Kernforschungszentrum
D-7500 Karlsruhe 1
West Germany

Attn: H. U. Karow
W. Schmidt

1 copy
1 copy

Institute of Atomic Energy
Academia Sinica - Peking
People's Republic of China

Attn: R. Hong

1 copy

Institute of Laser Engineering
Osaka University
Yamadakami
Suita
Osaka 565, Japan

Attn: K. Imasaki
S. Nakai

1 copy
1 copy

Instituto De Investigaciones Cientificas Y Technicas
De Las Fuerzas Armadas
Aufriategui y Varela
V. Martelli 1603
Pcia Bs. As. - R. Argentina

Attn: N. B. Camusso

1 copy

Max-Planck-Institut für Plasmaphysik
8046 Garching bei München
West Germany

Attn: R. Lengyel

1 copy

Physical Research Laboratory
Navrangpura
Ahmedabad - 380009 - India

Attn: V. Ramani

1 copy

Shivaji University
Kolhapur, India

Attn: L. N. Katkan

1 copy

Weizmann Institute of Science
Rehovot, Israel

Attn: A. E. Blaugrund
E. Nardi
Z. Zinamon

1 copy

1 copy

1 copy

DATE
FILMED
-8